
Assembly Instructions Kewaunee Table Shelving



NOTE: Shelving Uprights are packaged separately from Shelves. You will need both Shelving Uprights and Shelves for a complete shelving assembly.

<u> W</u>ARNING


Do not attempt to assemble this product if you do not understand these instructions or you have any doubts about the safety of the installation. Please call a qualified technician. Check carefully for missing, damaged, or defective parts. Improper installation may cause damage or serious injury. Do not use this product for any purpose that is not explicitly specified in this manual and do not exceed weight capacity. The manufacturer and distributor cannot be liable for damage or injury caused my improper mounting, incorrect assembly or inappropriate use.

DO NOT EXCEED WEIGHT CAPACITY

Failure to do so may result in serious injury



Parts Identification



Tools & Hardware — Shelving Upright Included – Shipped Loose 5/32" Allen Wrench Hex Key (1)• 1/4"-20 x 11/2" Hex Head Cap Screw w/Flat Washer (4)• 1/4"-20 x 1/2" Flanged Button Head Socket Cap Screw (8)•

Required – Not Included

7/16" Wrench or Socket




Assembly Instructions — Shelving Upright


Step 1 Attach Uprights to Work Top

- Insert 1/4"-20 x 1¹/2" Hex Head Cap Screw through holes in Work Top and thread into Shelving Upright Bracket. Tighen securely.
- Note: Shelving Upright Brackets and Hardware Package are shipped inside the Shelving Uprights.
- 1 b. Slide the Shelving Upright over the Shelving Upright Bracket and insert and tighten the (4) Flanged Cap Screws.
- Note: Shelving Uprights should be installed on the C-Leg Table before the legs are attached for easier access to the cap screws. (see Detail 1 below)

Shelving Uprights **MUST** be installed **AFTER** the legs are attached on the **4-Leg Tables** since the cap screws pass throught the end apron rails. (see Detail 2 below)




Hex Head Cap Screw with Flat Wash




Assembly Instructions — Shelves

Step 1 Attach Shelf Brackets to Uprights



Step 2 Bolt Shelf Brackets and Lip to Shelf



- Place Shelf in place on Shelf Brackets. Attach using (8) 1/4"-20 x 1/2" Flanged Button Head Socket Cap Screws and (8) 1/4"-20 Flanged Locknuts.
- 2b. If Shelf Lip is required, attach to either front or back edge of Shelf using (3) 1/4"-20 x 1/2" Flanged Button Head Socket Cap Screws and (3) 1/4"-20 Flanged Locknuts.
- Note: Shelf Lips may be attached to Shelf before installing Shelf.



SCAN QR CODE for INSTRUCTION VIDEOS